HexStation™ 2 Bin Solution Center

Increases Renewable Waste Collection And Keeps Bins Organized.



Partner any two Hexcycle® IV bins for an organized solution.

Whether you need two recycling bins or a recyclable and waste combination, you can configure the perfect center for your establishment's specific recycling requirements.

- Centralize collection and color coordinated with your decor.
- Bins remain organized and together with integrated base design.

Unique Features

- Stable in windy conditions or high traffic locations.
- Separate materials at the point of collection.
- Never lose a lid All lids are hinged to the bin.
- Communicate the collection message with distinct graphics and bright colors.

Specifications:

Size: 39"h x 35"l x 21.25"w

Gallons: 60

Capacity: Up to 474 Alum Cans or 220 .5L Bottles or 2150 Plastic Bags
Material: Heavy Duty Twin-Wall Polypropylene Plastic, Natural Wood and

Steel

Availability: Usually Ships in 3-5 Business Days









US Patents

D659,338 S; D659,339 S; D640,028 S; D611,450 S; D661,449 S;D655,062 S





Ph: (973) 872-0346 • Fax: (973) 706-6111

Hexcycle® IV Base Station

RECYCLE

Select The Base Station That Compliments Your Environment. This System Provides Organization For Increased Recycling Rates.
















US Patents

D659,338 S; D659,339 S; D640,028 S; D611,450 S; D661,449 S; D655,062 S





Ph: (973) 872-0346 • Fax: (973) 706-6111

Hexcycle® IV Solution Center


Scalable, Flexible And User-Friendly. **Create A Hexstation™ To Meet Your Requirements.**


Hexcycle® IV Bins are available in 6 great colors:

blue, brown, green, yellow, black and silver












GALUMINUMG SCELL PHONES BOTTLES & CANS ONEWSPAPERO **OMAGAZINES GBATTERIES** SPLEASE RECYCLE CANSO OPAPERO SPLASTICS SBAGS GGLASS ONLY






- 8 deposit specific lids to assure proper sorting.
- Angled lid prevents build-up of recyclables and waste on top of bin.
- Hinging and latch tight top to secure liners and prevent loss of lids.



No Touch






















Ph: (973) 872-0346 • Fax: (973) 706-6111



D659,338 S; D659,339 S; D640,028 S; D611,450 S; D661,449 S; D655,062 S

